



Urinal Felt Wax Ring

Material Safety Data Sheet

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Manufacturing Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents, and contractors of the information on the sheet.

SECTION I - GENERAL INFORMATION

Black Swan Manufacturing Co. 4540 W. Thomas Street Chicago, IL 60651-3318 Telephone No: 1-773-227-3700 Fax No: 1-773-227-3705	For chemical emergencies during transportation only call INFOTRAC 1-800-535-5053 24 hours per day - 7 days a week
Date Prepared 01/01/08	Trade Name URINAL FELT WAX RING

SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS	CAS#	APPROX%
ACGIH-TLV	OSHA-PEL	
THIS PRODUCT IS NOT CLASSIFIED AS HAZARDOUS ACCORDING WITH OSHA 1910.120.		
Title III Section 313 Supplier Notification: this product contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency planning and community Right-to-Know Act of 1966 and of 40CFR372. This information must be included in all MSDS's that are copied and distributed for this material.		
<u>SHIPPING INFORMATION</u> NOT HAZARDOUS FOR SHIPPING PURPOSES.	<u>SPECIAL HAZARD DESIGNATIONS</u> HMIS NFPA HAZARD RATING	

HEALTH	0	0	0 - MINIMAL
FLAMMABILITY	1	1	1- SLIGHT
REACTIVITY MODERATE	0	0	2-
PROTECTIVE SERIOUS			3-
EQUIPMENT	X	X	4- SEVERE

SECTION III - PHYSICAL DATA

APPEARANCE SOLID AMBER	ODOR NEARLY ODORLESS	BOILING POINT N/A
SPECIFIC GRAVITY (H ₂ O=1) .85	VAPOR PRESSURE (mm Hg.) NIL	VOLATILE BY VOLUME (%) NIL
VAPOR DENSITY (AIR=1) 10+	EVAPORATION RATE (BUAC=1) N/A	SOLUBILITY IN WATER NIL

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS	LEL	UEL
500°F MIN P.M.	(PERCENT BY VOLUME)	ND	ND
FIRE EXTINGUISHING MEDIA CARBON DIOXIDE, FOAM, DRY CHEMICAL.			
SPECIAL FIRE FIGHTING PROCEDURES DO NOT USE WATER AS IT MAY BE INEFFECTIVE IN EXTINGUISHING A FIRE INVOLVING THIS MATERIAL.			
UNUSAL FIRE AND EXPLOSION HAZARD			

NONE.

SECTION V - HEALTH HAZARD DATA

PRIMARY ROUTES OR ENTRY Inhalation Skin contact Eye contact
 Ingestion

EFFECT OF OVEREXPOSURE

MOST IRRITATE SKIN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

SKIN DISORDERS.

EMERGENCY AND FIRST AID PROCEDURES

SWALLOWING: NONE NECESSARY

SKIN CONTACT: NONE NECESSARY AS A SOLID. CONTACT WITH MELTED PETROLATUM CAN CAUSE THERMAL BURNS, FLUSH WITH WATER TO COOL AFFECTED AREAS AND CONTACT A PHYSICIAN IMMEDIATELY.

INHALATION: REMOVE TO FRESH AIR, CALL A PHYSICIAN.

EYES: FLUSH WITH WATER, CALL A PHYSICIAN.

SECTION VI - REACTIVITY

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	EXCESS HEAT, DIRECT FLAME.

INCOMPATIBILITY (MATERIALS TO AVOID)
STRONG OXIDIZERS.

HAZARDOUS DECOMPOSITION PRODUCTS

COMBUSTION WILL PRODUCE CARBON MONOXIDE AND OTHER ASPHYXIANTS.

HAZARDOUS	MAY OCCUR		CONDITIONS TO AVOID
POLYMERIZATION			

	WILL NOT OCCUR	X	NONE KNOWN
--	----------------	---	------------

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

RECOVER FREE SOLID. IF MOLTEN PARAFFIN SPILLED, SOLIDIFY AND RECOVER.

WASTE DISPOSAL METHOD

INCINERATE PER LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify

N/A

VENTILATION

N/A

PROTECTIVE GLOVES

N/A

EYE PROTECTION

N/A

OTHER PROTECTIVE EQUIPMENT AND HYGIENIC PRACTICES

N/A

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

AVOD EXCESSIVE HEAT OR DIRECT FLAME.

OTHER PRECAUTIONS

WHEN DEALING WITH HOT METED PETROLATUM, SPECIAL PRECAUTIONS PERTINENT TO YOUR OPERATION SHOULD BE AS FOLLOWED. AS WITH ANY PETROLEUM HYDROCARBON, PERSONAL HYGIENE IS IMPORTANT TO ASSURE THAT PROLONGED OR REPEATED CONTACT IS MINIMIZED. HANDS AND OTHER EXPOSED AREAS SHOULD BE WASHED THOROUGHLY WITH SOAP AND WATER AFTER CONTACT, ESPECIALLY BEFORE EATING AND/OR SMOKING.

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

Black Swan Mfg. Co. Telephone:773-227-3700 E-mail: info@blackswanmfg.com
4540 W. Thomas Street Wats:800-252-5796 Web site:<http://www.blackswanmfg.com>
Chicago, IL 60651-3318 Fax:773-227-3705