







GHS SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

<p>Manufacturer: Black Swan Mfg. Co. 4540 W. Thomas St. Chicago, IL 60651-3318 Tel.: 800-252-5796 Fax: 773-227-3705 Web Site : www.blackswanmfg.com E-mail : info@blackswanmfg.com</p>	<p>For any Transportation or Medical Chemical Emergencies call: INFOTRAC (800) 535-5053 OR (352) 323-3500 24 hours per day - 7 days a week</p>
<p>Product Name: Garbage Disposal Cleaner</p>	<p>Recommended Use: A powdered product that can be easily sprinkled into any garbage disposal unit to clean and sanitize.</p>

SECTION 2 – HAZARD(S) IDENTIFICATION

<p>Labels</p>  <p>Irritant</p>	<p>NFPA</p> <table border="0"> <tr> <td data-bbox="389 735 511 840"> <p>HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material</p> </td> <td data-bbox="511 735 657 840">  </td> <td data-bbox="657 735 803 840"> <p>FIRE HAZARD Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn</p> </td> </tr> <tr> <td data-bbox="389 871 511 997"> <p>SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER Radioactive</p> </td> <td data-bbox="511 871 657 997"> <p>☒ ☒ ☒ ☒ ☒ ☒</p> </td> <td data-bbox="657 871 803 997"> <p>REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable</p> </td> </tr> </table>	<p>HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material</p>		<p>FIRE HAZARD Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn</p>	<p>SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER Radioactive</p>	<p>☒ ☒ ☒ ☒ ☒ ☒</p>	<p>REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable</p>	<p>GHS Classification</p> <table border="0"> <tr> <td data-bbox="820 745 1136 892"> <p>Health Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: No</p> </td> <td data-bbox="1136 745 1550 892"> <p>Environmental Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Not Established</p> </td> </tr> <tr> <td colspan="2" data-bbox="820 913 1550 997"> <p>Physical None</p> </td> </tr> </table>	<p>Health Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: No</p>	<p>Environmental Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Not Established</p>	<p>Physical None</p>	
<p>HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material</p>		<p>FIRE HAZARD Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn</p>										
<p>SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER Radioactive</p>	<p>☒ ☒ ☒ ☒ ☒ ☒</p>	<p>REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable</p>										
<p>Health Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: No</p>	<p>Environmental Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Not Established</p>											
<p>Physical None</p>												
<p>Hazardous Statements</p> <p>H319: Causes serious eye irritation</p>		<p>Precautionary Statements</p> <p>P102: Keep out of reach of children P261: Avoid breathing dust P262: Do not get in eyes, on skin, or on clothing P264: Wash hands and exposed skin thoroughly after handling</p>										

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemicals</u>	<u>CAS#</u>	<u>EINECS#</u>	<u>REACH</u> <u>Pre-registration Number</u>	<u>Approx %</u>
SODIUM BICARBONATE	144-558-8	205-633-8	N/A	40-60%
CITRIC ACID	77-92-9	201-069-1	N/A	20-40%

*Unlisted ingredients are not classified as hazardous according to OSHA 1910.1200.

SECTION 4 – FIRST-AID MEASURES

<p>Inhalation: Remove from exposure to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do not use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.</p> <p>Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.</p> <p>Eyes: Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub or keep eyes closed.</p> <p>Ingestion: Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cups of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.</p> <p>Note to physician: Treat symptomatically.</p>

GHS SAFETY DATA SHEET

SECTION 5 – FIRE-FIGHTING MEASURES

Fire Hazard: Citric acid in sufficient quantity and reduced particle size is capable of creating a dust explosion.
Combustion Products: Irritating and highly toxic gases may be generated by thermal decomposition or combustion. If extremely large quantities are involved, significant levels of Carbon Dioxide may be generated.
Extinguishing Media: Water spray, Dry Chemical, Carbon Dioxide, Chemical Foam.
Unsuitable Extinguishing Media: Do not get water inside container.
Protective Equipment: Self-contained breathing apparatus {(SCBA), MSHA/NIOSH}. Full protective gear.
Special Fire Fighting Procedures: Evacuate enclosed areas, stay upwind. Wear self-contained breathing apparatus and protective clothing to prevent contact. Do not get water inside container.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Provide ventilation.
Protective Equipment: Use proper personal protective equipment as indicated in Section 8.
Emergency Procedures: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.
Environmental Precautions: Avoid runoff into storm sewers, ditches and waterways.
Methods for Cleaning Up: Vacuum or sweep up material and place into a suitable disposal container. Very fine particles can cause a fire or explosion. Eliminate all ignition sources. Clean up spills immediately, observing precaution in the Protective Equipment section. Avoid generating dusty conditions. Spill may be neutralized with lime. Do not get water into container.

SECTION 7 – HANDLING AND STORAGE

<u>Handling</u>	<u>Storage</u>
Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Do not allow contact with water. Keep from contact with moist air and steam.	Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible materials. Store protected from moisture. Keep out of direct sunlight. Never store in unlabeled containers. Incompatible Materials: Acids, aluminum and phosphoric-pent oxide, oxidizing agents, sulfides, metal nitrates, alkali carbonates, alkalis, potassium tartrate, acetates, bicarbonates.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Hazardous Chemicals</u>	<u>Exposure Limits</u>		
	<u>ACGIH-TLV</u>	<u>ACGIH-STEL</u>	<u>OSHA-PEL</u>
SODIUM BICARBONATE	N/A	N/A	N/A
CITRIC ACID	N/A	N/A	N/A

Engineering Controls: A source of running water to flush or wash the eyes and skin in case of contact. Use adequate ventilation to keep airborne concentrations low.
Ventilation: Mechanical ventilation is adequate.
Personal Protective Equipment – Respiratory: NIOSH/MSHA approved respirator where conditions may cause exposure limits to be exceeded from mists of solutions.
Personal Protective Equipment – Skin: Wear appropriate protective gloves/clothing to prevent skin exposure.
Personal Protective Equipment – Eyes: Safety eyeglasses with side shields or Chemical safety goggles

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Clear	Flash Point:	Not Established	Vapor Pressure:	Not Established
Odor:	Pleasantly Scented	Specific Gravity:	Not Established	Flammability:	Not Established
pH:	Not Established	Solubility (H2O):	Not Established	Flammability Limits:	LEL – Not Established
Melting Point:	Not Established	Evaporation Rate:	Not Established		UEL – Not Established
Freezing Point:	Not Established	Vapor Density:	Not Established		
Boiling Point:	Not Established	VOC:	Not Established		

GHS SAFETY DATA SHEET

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable.

Hazardous polymerization: Will not occur.

Conditions to avoid: Dust generation, moisture, exposure to moist air or water.

Incompatible materials: Acids, aluminum and phosphoric-pent oxide, oxidizing agents, sulfides, metal nitrates, alkali carbonates, alkalis, potassium tartrate, acetates, bicarbonates.

Hazardous decomposition products: Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide. When heated to decomposition, sodium bicarbonate produces carbon dioxide.

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Hazardous Chemicals</u>	<u>Toxicity</u>	<u>LD₅₀</u>	<u>LC₅₀</u>
SODIUM BICARBONATE	Oral: 4220 mg/kg (rat); 3360 mg/kg (mouse)		N/A
CITRIC ACID	3 mg/kg (rat); 5040 mg/kg (mouse)		N/A

Likely Routes of Exposure: Inhalation, Skin, Eye and Ingestion.

Symptoms and Effect - Inhalation: Causes respiratory tract irritation. **Skin Contact:** Causes skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. **Eye Contact:** Causes severe eye irritation and possible injury. **Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Excessive intake of citric acid may cause erosion of the teeth.

Long-Term Effect: None known.

Pre-Existing Conditions: None known.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: None known.

Persistence & Degradability: None known.

Bioaccumulative Potential: None known.

Mobility in soil: None known.

SECTION 13 – DISPOSAL CONSIDERATION

Dispose of product or container in accordance with federal, state or local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

D.O.T. (U.S.): Not Regulated.

SECTION 15 – REGULATORY INFORMATION

Precautionary Label Information: Irritant.

Risk Phrases: R36-Irritating to eyes. R37-Irritating to respiratory system. R38-Irritating to skin.

Safety Phrases: S26-In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

SECTION 16 – OTHER INFORMATION

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Mfg. Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents and contractors of the information on the sheets.

DATE: 01/01/2021