





**SECTION 1 - IDENTIFICATION**

Manufacturer: Black Swan Mfg. Co. 4540 W. Thomas St. Chicago, IL 60651-3318 Tel.: 800-252-5796 Fax: 773-227-3705 Web Site : www.blackswanmfg.com E-mail : info@blackswanmfg.com	For any Transportation or Medical Chemical Emergencies call: <p style="text-align: center;">INFOTRAC</p> <p style="text-align: center;">(800) 535-5053 OR (352) 323-3500</p> <p style="text-align: center;">24 hours per day - 7 days a week</p>
Product Name: Solder Bar, Wiping 40 Tin/60 Lead	Recommended Use: High quality solder for plumbing and joining copper pipes.

SECTION 2 – HAZARD(S) IDENTIFICATION

Labels 	<p style="text-align: center;">NFPA</p> <table border="0"> <tr> <td style="vertical-align: top;"> HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material </td> <td style="text-align: center; vertical-align: middle;">  </td> <td style="vertical-align: top;"> FIRE HAZARD Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn </td> </tr> <tr> <td style="vertical-align: top;"> SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER Radioactive </td> <td style="vertical-align: top;"> REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable </td> <td></td> </tr> </table>	HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material		FIRE HAZARD Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn	SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER Radioactive	REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable		<p style="text-align: center;">GHS Classification</p> <table border="0"> <tr> <td style="vertical-align: top;"> <p style="text-align: center;">Health</p> Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: NO </td> <td style="vertical-align: top;"> <p style="text-align: center;">Environmental</p> Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Cat. 1 </td> </tr> <tr> <td colspan="2" style="text-align: center;"> <p style="text-align: center;">Physical</p> Carcinogenicity: Cat. 2 Reproductive: Cat. 1A Target Organ Toxicity (single): Cat. 3 narcotic effects Target Organ Toxicity (repeated): Cat. 1 (brain, liver, kidney) </td> </tr> </table>	<p style="text-align: center;">Health</p> Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: NO	<p style="text-align: center;">Environmental</p> Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Cat. 1	<p style="text-align: center;">Physical</p> Carcinogenicity: Cat. 2 Reproductive: Cat. 1A Target Organ Toxicity (single): Cat. 3 narcotic effects Target Organ Toxicity (repeated): Cat. 1 (brain, liver, kidney)	
HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material			FIRE HAZARD Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn									
SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER Radioactive	REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable											
<p style="text-align: center;">Health</p> Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: NO	<p style="text-align: center;">Environmental</p> Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Cat. 1											
<p style="text-align: center;">Physical</p> Carcinogenicity: Cat. 2 Reproductive: Cat. 1A Target Organ Toxicity (single): Cat. 3 narcotic effects Target Organ Toxicity (repeated): Cat. 1 (brain, liver, kidney)												
<p style="text-align: center;">Signal Word</p> <p style="text-align: center;">Warning</p> <p style="text-align: center;">HMIS</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="background-color: #000080; color: white;">HEALTH</td> <td style="background-color: #000080; color: white;">1</td> </tr> <tr> <td style="background-color: #FF0000; color: white;">FLAMMABILITY</td> <td style="background-color: #FF0000; color: white;">0</td> </tr> <tr> <td style="background-color: #FFA500; color: white;">REACTIVITY</td> <td style="background-color: #FFA500; color: white;">0</td> </tr> </table>	HEALTH	1	FLAMMABILITY	0	REACTIVITY	0	<p style="text-align: center;">Hazardous Statements</p> <p>H336: May cause drowsiness or dizziness.</p> <p>H351: Suspected of causing cancer.</p> <p>H360: May damage fertility or the unborn child.</p> <p>H372: Causes damage to organs (brain, liver, kidney) through prolonged or repeated exposure.</p> <p>H410: Very toxic to aquatic life with long lasting effects.</p>	<p style="text-align: center;">Precautionary Statements</p> <p>P102: Keep out of reach of children</p> <p>P202: Do not handle until all safety precautions have been read and understood</p> <p>P260: Do not breathe dust/fume/gas/mist vapors/spray.</p> <p>P264: Wash thoroughly after handling</p> <p>P270: Do not eat, drink or smoke when using this product</p> <p>P271: Use only outdoors or in a well-ventilated area</p> <p>P273: Avoid release to the environment</p> <p>P280: Wear protective gloves/protective clothing/eye & face/protection</p>				
HEALTH	1											
FLAMMABILITY	0											
REACTIVITY	0											

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemicals</u>	<u>CAS#</u>	<u>EINECS#</u>	<u>REACH</u> <u>Pre-registration Number</u>	<u>Approx %</u>
TIN	7440-31-5	N/A	N/A	0-100%
LEAD	7439-92-1	N/A	N/A	0-100%

*Unlisted ingredients are not classified as hazardous according to OSHA 1910.1200.

SECTION 4 – FIRST-AID MEASURES

<p>Inhalation: Move into fresh air. If irritation persists, get medical attention.</p> <p>Skin: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water.</p> <p>Eyes: Flush with water for 15 minutes. If irritation persists, get medical attention.</p> <p>Ingestion: Rinse mouth. If irritation persists, get medical attention.</p>
--

GHS SAFETY DATA SHEET

SECTION 5 – FIRE-FIGHTING MEASURES

Fire Hazard: During fire, gases hazardous to health may be formed.
Combustion Products: None known.
Extinguishing Media: Dry Chemical Powder, Dry Sand, Water Fog, Carbon Dioxide.
Unsuitable Extinguishing Media: Water, Moist Sand.
Protective Equipment: Self-contained breathing apparatus {(SCBA), MSHA/NIOSH}. Full protective gear.
Special Fire Fighting Procedures: Evacuate enclosed areas, stay upwind. Closed or confined quarters require self-contained breathing apparatus, positive pressure hose masks or airline masks.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Prevent contact with skin or eyes. Personnel cleaning up the spill should wear appropriate personal protective equipment, including respirators if vapor concentrations are high.
Protective Equipment: Respirators and protective clothing.
Emergency Procedures: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.
Environmental Precautions: Avoid runoff into storm sewers, ditches and waterways.
Methods for Cleaning Up: If large quantities of dust are spilled, remove by vacuuming or wet sweeping to prevent heavy concentrations of airborne dust. Scrap metal can be reclaimed for use.

SECTION 7 – HANDLING AND STORAGE

Handling

Avoid contact with eyes, skin and clothing. Avoid prolonged breathing of vapor and mist. Use with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke in the work area. Keep products away from heat, sparks, flames and all other sources of ignition.

Storage

Store in a cool, dry, well-ventilated area away from incompatible materials. Store in a closed container. Keep away from heat, sparks, open flame and other sources of ignition. **Incompatible Materials:** Acids, bases and oxidizers.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Hazardous Chemicals</u>	<u>Exposure Limits</u>		
	<u>ACGIH-TLV</u>	<u>ACGIH-STEL</u>	<u>OSHA-PEL</u>
Tin	2mg/m ³	4mg/m ³	2mg/m ³
Lead	.05mg/m ³	N/A	N/A

Engineering Controls: A source of running water to flush or wash the eyes and skin in case of contact.
Ventilation: Use general and local exhaust ventilation to keep airborne concentrations of dust and fume below the TLV.
Personal Protective Equipment – Respiratory: MSHA/NIOSH approved respirators.
Personal Protective Equipment – Skin: Showering should be required before changing to street clothes. Gloves and barrier creams may be necessary to prevent skin sensitization and dermatitis.
Personal Protective Equipment – Eyes: Approved safety glasses or goggles should be worn when working with dusty material.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance: Silver-gray metal	Flash Point: Not Established	Vapor Pressure: Not Established
Odor: Odorless	Specific Gravity: Not Established	Flammability: Not Established
pH: Not Established	Solubility (H2O): Not Soluble	Flammability Limits: LEL - Not Established
Melting Point: 360-460 °F (182.22-237.78°C)	Evaporation Rate: Not Established	UEL - Not Established
Freezing Point: Not Established	Vapor Density: Not Established	
Boiling Point: Not Established	VOC: Not Established	

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable.
Hazardous polymerization: No dangerous reaction known under conditions of normal use.
Conditions to avoid: Contact with incompatible material.
Incompatible materials: Acids, Chlorine and Strong oxidizing agents.
Hazardous decomposition products: No hazardous decomposition products are known.

GHS SAFETY DATA SHEET

SECTION 11 – TOXICOLOGICAL INFORMATION

Hazardous Chemicals

Tin
Lead

Toxicity

LD₅₀

N/A
N/A

LC₅₀

N/A
N/A

Likely Routes of Exposure: Inhalation.

Symptoms and Effect - Inhalation: Fumes may cause metal fever with flu like symptoms.

Skin Contact: Irritation of the skin and mucous membranes and may result in a benign pneumoconiosis. May cause skin and hair discoloration. **Eye Contact:** None. **Ingestion:** None.

Long-Term Effect: None known.

Pre-Existing Conditions: None known.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: Very toxic to aquatic life with long lasting effects.

Persistence & Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in soil: No data available.

SECTION 13 – DISPOSAL CONSIDERATION

Dispose of product or container in accordance with federal, state or local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

D.O.T. (U.S.): Not Regulated

SECTION 15 – REGULATORY INFORMATION

Precautionary Label Information: None.

Risk Phrases: None.

Safety Phrases: S2-Keep out of reach of children.

US. California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

SECTION 16 – OTHER INFORMATION

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Mfg. Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents and contractors of the information on the sheets.

DATE: 01/01/2021